



# ENGINEERING THE PERFECT EXTRACTION.

## BREWLYN PRECISION MEETS POISE

Professional Espresso Solutions for Hotels,  
Cafes, and Commercial Spaces.



**SHIPPING AVAILABILITY:** SHIPPING IS CURRENTLY AVAILABLE ONLY TO USA, UAE, AND INDIA.

# BREWLYN

PRECISION MEETS POISE


## THE BREWLYN PHILOSOPHY




- **Precision Control:** Industry-leading PID and pressure management.
- **Sustainable Durability:** 100% Food-grade Stainless Steel construction.
- **Workflow Optimized:** Designed for high-volume environments with "Set & Forget" automation.

# ADVANCED THERMAL STABILITY

(The Multi-Boiler Advantage)



**BREWLYN**  
PRECISION MEETS POISE



- Food-Grade Stainless Steel Boilers: Lead-free and scale-resistant for purer taste and longer machine life.
- Independent Hot Water Boiler: Instant recovery for uninterrupted service during peak hours.
- PID Temperature Control: Set extraction between 30°C–98°C with micro-degree accuracy.
- Heat Exchange Group Heads: Steam-heated brewing heads ensure thermal stability from the first shot to the last.

# PRECISION EXTRACTION & FLAVOR PROFILING

## Flavor Profile vs. Pressure Level (Bar)



### Traditional Espresso Profile

Illustrates extraction at the standard 9 Bar factory preset.



### Sweet and Sour Profile

Represents extraction at lower pressure levels (<9 Bar), focusing on early acidity and subsequent sweetness.



### Bitter Espresso Profile

Simulates extraction at higher pressure levels (>9 Bar), leading to increased bitterness.

● sour degree ————— ● sweet degree ————— ● bitter

# PRECISION EXTRACTION & FLAVOR PROFILING

**BREWLYN**  
PRECISION MEETS POISE

- Manual Variable Pressure: Ergonomic paddle lever for "on-the-fly" pressure profiling.
- Auto Pre-Soaking: Fully adjustable pre-infusion and pause times to maximize crema and sweetness.
- Rotary Pump System: Procon 9-Bar pump for quiet, constant, and commercial-grade pressure.
- Flow Volumetrics: Program exact water dosage directly via the LED touch interface.



# PROFESSIONAL STEAM & WORKFLOW

- **360° Steam Poles:** Dual high-volume steam wands for simultaneous use.
- **Adjustable Steam Pressure:** Tunable between 1.2–1.6 bar for the perfect micro-foam texture.
- **Intelligent Automation:** Programmable On/Off scheduling to match your store hours.
- **Triple Gauge Monitoring:** Real-time tracking of pump pressure, extraction pressure, and steam pressure.



# THE BREWLYN LINEUP

**BREWLYN**  
PRECISION MEETS POISE

Feature	Signature	Forte	Maverick
<b>Best For</b>	High Volume / Specialty	Boutique / High-End	Multi-Group Versatility
	 A white espresso machine with a brown leather-like panel on the left side. It features two group heads with wooden handles and a stainless steel drip tray.	 A chrome-plated espresso machine with two group heads and wooden handles. It has a stainless steel drip tray and a pressure gauge on the left side.	 A black espresso machine with two group heads and wooden handles. It features a stainless steel drip tray and the 'BREWLYN' logo on the front panel.

# TECHNICAL SPECIFICATIONS

Type	Automatic Coffee Machine	Function	Touch Screen Display, Espresso coffee maker
Model Name	<b>Signature</b>	Control Mode	Automatic Control
Power	<b>4500W</b>	Pressure	<b>9 Bars</b>
Water Tank Capacity	<b>2L + 6L</b>	Application	<b>Hotel, Commercial, Household</b>
Housing Material	<b>Stainless Steel</b>	Power Source	<b>Electric</b>
Warranty	<b>1 Year</b>	Warranty Details	<b>Free Spare Parts</b>
 Complete color customization available		Waterproof Grade	<b>IPX3</b>
<b>BREWLYN</b> PRECISION MEETS POISE		Height of Boiling Head	<b>164mm</b>
		Machine Net Weight	<b>70KG</b>



# SALES, SUPPORT & CONTACT

Get In Touch



[www.brewlynhaus.com](http://www.brewlynhaus.com)



[sales@brewlynhaus.com](mailto:sales@brewlynhaus.com)



**SHIPPING AVAILABILITY:** SHIPPING IS CURRENTLY AVAILABLE ONLY TO USA, UAE, AND INDIA.



Your Style. Your Brew



**BREWLYN**  
PRECISION MEETS POISE

